memotec Messtechnik

Technical Documentation

AiM connection cable evo4S, 5-core, CAN / K-Line

TD

memotec GmbH
Bauwaldstrasse 1
D-75031 Eppingen

+49.7260.920440
info@me-mo-tec.de

www.me-mo-tec.de



Informationen AiM CC evo4S, 5-core, CAN/KL

Device	Solo 2 DL, evo4S, ECULog
Function	12V, CAN Bus or K-Line
Input	ECU, 7-pin
Cable length	190 cm
Weight	41 gr.

Connector types AiM CC evo4S, 5-core, CAN/KL

711

Pinout AiM CC evo4S, 5-core, CAN / K-Line



ECU | Binder 711
connector, male, 7 pin

5-core | open wires

ECU | Binder 711 7 pin

Pin	Function	Pin	Function
1	ECU CAN +	5	Not connected
2	ECU CAN -	6	K-Line
3	9 – 15 V	7	Ground
4	Not connected		



Binder 711, male, solder view

5-core | open wires

Pin	Function	Color
1	ECU CAN +	White
2	ECU CAN -	Blue
3	9 – 15 V	Red
6	K-Line	Blue
7	Ground	Black



Scope of supply AiM CC evo4S, 5-core, CAN / K-Line

CAK-SODL102	Connection cable SoloDL, evo4S, CAN, K-Line



Store

Accessories AiM CC evo4S, 5-core, CAN / K-Line

AEV4s1-oZ	evo4S, without accessory

Store

Release History

Release	Date	Author	Comments
100	18.07.2024	TME	First release

memotec®
Messtechnik



memotec GmbH
Bauwaldstrasse 1
D-75031 Eppingen

+49.7260.920440
info@me-mo-tec.de

www.me-mo-tec.de