memotec Messtechnik

Technical Documentation

AiM connection cable evo4S 3-core, CAN

TD

memotec GmbH
Bauwaldstrasse 1
D-75031 Eppingen

+49.7260.920440
info@me-mo-tec.de

www.me-mo-tec.de

Informationen AiM CC evo4S, 3-core, CAN

Device	evo4S
Function	CAN Bus
Input	ECU, 7-pin
Cable length	190 cm
Weight	41 gr.

Connector types AiM CC evo4S, 3-core, CAN

711

Pinout AiM CC evo4S, 3-core, CAN

ECU | Binder 711
connector, male, 7 pin

3-core | open wires

ECU | Binder 711 7 pin

Pin	Function	Pin	Function
1	ECU CAN +	5	RS232RX
2	ECU CAN -	6	Not connected
3	9 – 15 V	7	Ground
4	RS232TX		



Binder 711, male, solder view

3-core | open wires

Pin	Function	Color
1	ECU CAN +	White
2	ECU CAN -	Blue
7	Ground	Black



Scope of supply AiM CC evo4S, 3-core, CAN

CAK-EV4S101	Connection cable evo4S, CAN

Store

Accessories AiM CC evo4S, 3-core, CAN

AEV4s1-oZ	evo4S, without accessory

Store

Release History

Release	Date	Author	Comments
100	30.01.2026	TME	First release

memotec®
Messtechnik



memotec GmbH
Bauwaldstrasse 1
D-75031 Eppingen

+49.7260.920440
info@me-mo-tec.de

www.me-mo-tec.de